Contents

Number 1 January 1998

1 **Biosynthesis, targeting and processing of oleosin-like proteins, which are major pollen coat components in *Brassica napus*.** *D.J. Murphy and J.H.E. Ross*

17 **A pectate lyase from *Zinnia elegans* is auxin inducible.** *C. Domingo, K. Roberts, N.J. Stacey, I. Connerton, F. Ruíz-Teran and M.C. McCann*

29 **Photosynthetic oxygen evolution within *Sesbania rostrata* stem nodules.** *E.K. James, F.R. Minchin, K. Oxborough, A. Cookson, N.R. Baker, J.F. Witty, R.M.M. Crawford and J.I. Sprent*

39 **Analysis of flower pigmentation mutants generated by random transposon mutagenesis in *Petunia hybrida*.** *A. van Houwelingen, E. Souer, K. Spelt, D. Kloos, J. Mol and R. Koes*

51 **Characterization and expression of the phytochrome gene family in the moss *Ceratodon purpureus*.** *K. Pasentsis, N. Paulo, P. Algarra, P. Dittrich and F. Thümmler*

63 **Characterization of *ADG1*, an *Arabidopsis* locus encoding for ADPG pyrophosphorylase small subunit, demonstrates that the presence of the small subunit is required for large subunit stability.** *S.-M. Wang, W.-I. Lue, T.S. Yu, J.-H. Long, C.N. Wang, K. Eimert and J. Chen*

71 **Down-regulation of Cinnamoyl-CoA Reductase induces significant changes of lignin profiles in transgenic tobacco plants.** *J. Piquemal, C. Lapierre, K. Myton, A. O'Connell, W. Schuch, J. Grima-Pattenati and A.-M. Boudet*

85 ***In vivo* evidence for 5'→3' exoribonuclease degradation of an unstable chloroplast mRNA.** *R.G. Drager, J. Girard-Bascou, Y. Choquet, K.L. Kindle and D.B. Stern*

97 **A novel thioredoxin-like protein located in the chloroplast is induced by water deficit in *Solanum tuberosum* L. plants.** *P. Rey, G. Pruvot, N. Becuwe, F. Eymery, D. Rumeau and G. Peltier*

109 SHORT COMMUNICATION
A role for the vacuole in auxin-mediated control of cytosolic pH by *Vicia* mesophyll and guard cells. *H. Frohnmeyer, A. Grabov and M.R. Blatt*

117 SHORT COMMUNICATION
Unitary exocytotic and endocytotic events in *Zea mays* L. coleoptile protoplasts. *G. Thiel, M. Kreft and R. Zorec*

121 TECHNICAL ADVANCE
***Transposon Display* identifies individual transposable elements in high copy number lines.** *D. Van den Broeck, T. Maes, M. Sauer, J. Zethof, P. De Keukeleire, M. D'Hauw, M. Van Montagu and T. Gerats*

131 TECHNICAL ADVANCE
A comparison of two methods of microinjection for assessing altered plasmodesmal gating in tissues expressing viral movement proteins. *M.M.H. Storms, C. van der Schoot, M. Prins, R. Kormelink, J.W.M. van Lent and R.W. Goldbach*

141 TECHNICAL ADVANCE
Regional insertional mutagenesis on chromosome III of *Arabidopsis thaliana* using the maize *Ac* element. *P. Dubois, S. Cutler and F.J. Belzile*

Number 2 January 1998

153 **Reversible protein phosphorylation regulates jasmonic acid-dependent and -independent wound signal transduction pathways in *Arabidopsis thaliana*.** *E. Rojo, E. Titarenko, J. León, S. Berger, G. Vancanneyt and J.J. Sánchez-Serrano*

167 **The action potential in *Chara*: Ca^{2+} release from internal stores visualized by Mn^{2+}-induced quenching of fura-dextran.** *C. Plieth, B. Sattelmacher, U.-P. Hansen and G. Thiel*

177 **Expression of a dominant negative form of cpSRP54 inhibits chloroplast biogenesis in *Arabidopsis*.** *M. L. Pilgrim, K.-J. van Wijk, D.H. Parry, D.A.C. Sy and N.E. Hoffman*

187 **Two different modes of early development and nitrogen assimilation in gymnosperm seedlings.** *A. García-Gutiérrez, F. Dubois, F.R. Cantón, F. Gallardo, R.S. Sangwan and F.M. Cánovas*

201 **A bifunctional oleate 12-hydroxylase: desaturase from *Lesquerella fendleri*.** *P. Broun, S. Boddupalli and C. Somerville*

211 **Isolation of an *Arabidopsis thaliana* mutant in which accumulation of cucumber mosaic virus coat protein is delayed.** *M. Yoshii, N. Yoshioka, M. Ishikawa and S. Naito*

221 **Phytochrome controls the number of endoreduplication cycles in the *Arabidopsis thaliana* hypocotyl.** *E. Gendreau, H. Höfte, O. Grandjean, S. Brown and J. Traas*

231 **Arginine decarboxylase (polyamine synthesis) mutants of *Arabidopsis thaliana* exhibit altered root growth.** *M.B. Watson, K.K. Emory, R.M. Piatak and R.L. Malmberg*

241 SHORT COMMUNICATION
Transposon sequences drive tissue-specific expression of the maize regulatory gene *R-s*. *B.P. May and S.L. Dellaporta*

249 SHORT COMMUNICATION
Cloning and characterization of an adenosine kinase from *Physcomitrella* involved in cytokinin metabolism. *K. von Schwartzenberg, S. Kruse, R. Reski, B. Moffatt and M. Laloue*

259 SHORT COMMUNICATION
Production of yellow colour in flowers: redirection of flavonoid biosynthesis in *Petunia*. *K.M. Davies, S.J. Bloor, G.B. Spiller and S.C. Deroles*

267 SHORT COMMUNICATION
Expression of a soybean nodule-enhanced phosphoenolpyruvate carboxylase gene that shows striking similarity to another gene for a house-keeping isoform. *S. Hata, K. Izui and H. Kouchi*

275 SHORT COMMUNICATION
In transformed tobacco cells the apoplasmic invertase inhibitor operates as a regulatory switch of cell wall invertase. *S. Krausgrill, S. Greiner, U. Köster, R. Vogel and T. Rausch*

281 TECHNICAL ADVANCE
Chromosome micro-dissection and region-specific libraries from pachytene chromosomes of maize (*Zea mays* L.). *N.. Stein, N. Ponelies, T. Musket, M. McMullen and G. Weber*

Number 3 February 1998

291 ***In vitro* and *in vivo* evidence for actin association of the naphthylphthalamic acid-binding protein from zucchini hypocotyls.** *J.H. Butler, S. Hu, S.R. Brady, M.W. Dixon and G.K. Muday*

303 **Transgenic analysis of tomato endo-β-1,4-glucanase gene function. Role of *cel1* in floral abscission.** *C.C. Lashbrook, J.J. Giovannoni, B.D. Hall, R.L. Fischer and A.B. Bennett*

311 **Stress-responsive accumulation of plastid chaperonin 60 during seedling development.** *N. Holland, A. Belkind, D. Holland, U. Pick and M. Edelman*

317 **Carrot DNA-methyltransferase is encoded by two classes of genes with differing patterns of expression.** *G. Bernacchia, A. Primo, L. Giorgetti, L. Pitto and R. Cella*

331 **Repair of genomic double-strand breaks in somatic plant cells by one-sided invasion of homologous sequences.** *H. Puchta*

341 **Lipochito-oligosaccharides re-initiate root hair tip growth in *Vicia sativa* with high calcium and spectrin-like antigen at the tip.** *N.C.A. de Ruijter, M.B. Rook, T. Bisseling and A.M.C. Emons*

351 **Upregulation of two ripening-related genes from a non-climacteric plant (pepper) in a transgenic climacteric plant (tomato).** *M. Kuntz, H.C. Chen, A.J. Simkin, S. Römer, C.A. Shipton, R. Drake, W. Schuch and P.M. Bramley*

363 **Solubilization and characterization of a galacturonosyltransferase that synthesizes the pectic polysaccharide homogalacturonan.** *R.L. Doong and D. Mohnen*

375 SHORT COMMUNICATION
Identification of cDNAS encoding plastid-targeted glutathione peroxidase. *P.M. Mullineaux, S. Karpinski, A. Jiménez, S.P. Cleary, C. Robinson and G.P. Creissen*

381 SHORT COMMUNICATION
The maize *Lc* regulatory gene up-regulates the flavonoid biosynthetic pathway of *Petunia*. *J.M. Bradley, K.M. Davies, S.C. Deroles, S.J. Bloor and D.H. Lewis*

393 SHORT COMMUNICATION
Nuclear import of the capsid protein of tomato yellow leaf curl virus (TYLCV) in plant and insect cells. *T. Kunik, K. Palanichelvam, H. Czosnek, V. Citovsky and Y. Gafni*

401 SHORT COMMUNICATION
Distinct patterns of pigment suppression are produced by allelic sense and antisense chalcone synthase transgenes in petunia flowers. *Q. Que, H.-Y. Wang and R.A. Jorgensen*

411 SHORT COMMUNICATION
Low temperature regulates Arabidopsis *Lhcb* gene expression in a light-independent manner. *J. Capel, J.A. Jarillo, F. Madueño, M.J. Jorquera, J.M. Martínez-Zapater and J. Salinas*

419 SHORT COMMUNICATION
cDNA cloning and characterisation of an α-glucosidase gene from potato (*Solanum tuberosum* L.). *M.A. Taylor, L.A. George, H.A. Ross and H.V. Davies*

427 TECHNICAL ADVANCE
Genetic transformation of dinoflagellates (*Amphidinium* and *Symbiodinium*): expression of GUS in microalgae using heterologous promoter constructs. *M.R. ten Lohuis and D.J. Miller*

Number 4 February 1998

437 **Dual regulation of a heat shock promoter during embryogenesis: stage-dependent role of heat shock elements.** *C. Almoguera, P. Prieto-Dapena and J. Jordano*

447 **Chitinase in cucumber hypocotyls is induced by germinating fungal spores and by fungal elicitor in synergism with inducers of acquired resistance.** *B. Kästner, R. Tenhaken and H. Kauss*

455 **The role of ion fluxes in Nod factor signalling in *Medicago sativa*.** *H.H. Felle, E. Kondorosi, A. Kondorosi and M. Schultze*

465 **The *Arabidopsis thaliana* cDNAs coding for eIF4E and eIF(iso)4E are not functionally equivalent for yeast complementation and are differentially expressed during plant development.** *C.M. Rodriguez, M.A. Freire, C. Camilleri and C. Robaglia*

475 **Analysis of bHLH and MYB domain proteins: species-specific regulatory differences are caused by divergent evolution of target anthocyanin genes.** *F. Quattrocchio, J.F. Wing, K. van der Woude, J.N.M. Mol and R. Koes*

489 **Two bZIP proteins from *Antirrhinum* flowers preferentially bind a hybrid C-box/G-box motif and help to define a new sub-family of bZIP transcription factors.** *J.F. Martínez-García, E. Moyano, M.J.C. Alcocer and C. Martin*

507 **FISH studies reveal the molecular and chromosomal organization of individual telomere domains in tomato.** *X.-B. Zhong, P. F. Fransz, J.W.-van Eden, M.S. Ramanna, A. van Kammen, P. Zabel and J.H. de Jong*

519 **Accumulation of small heat shock proteins, including mitochondrial HSP22, induced by oxidative stress and adaptive response in tomato cells.** *N. Banzet, C. Richaud, Y. Deveaux, M. Kazmaier, J. Gagnon and C. Triantaphylidès*

529 **Re-evaluation of the role of a transmitting tract-specific glycoprotein on pollen tube growth.** *J. Sommer-Knudsen, W.M. Lush, A. Bacic and A.E. Clarke*

537 **Pathogen-derived resistance targeted against the negative-strand RNA of tobacco mosaic virus: RNA strand-specific gene silencing?** *M.R. Marano and D. Baulcombe*

547 **The narrow sheath leaf domain deletion: a genetic tool used to reveal developmental homologies among modified maize organs.** *M.J. Scanlon and M. Freeling*

563 SHORT COMMUNICATION
Transcription of *Arabidopsis* and wheat *Cab* genes in single tobacco transgenic seedlings exhibits independent rhythms in a developmentally regulated fashion. *C. Kolar, E. Fejes, É. Ádám, E. Schäfer, S. Kay and F. Nagy*

571 SHORT COMMUNICATION
Seven zinc-finger transcription factors are expressed sequentially during the development of anthers in petunia. *A. Kobayashi, A. Sakamoto, K. Kubo, Z. Rybka, Y. Kanno and H. Takatsuji*

577 SHORT COMMUNICATION
Transposase binding site methylation in the epigenetically inactivated *Ac* derivative *Ds-cy*. *L. Wang and R. Kunze*

Number 5 March 1998

583 **Mode of phytochrome B action in the photoregulation of seed germination in *Arabidopsis thaliana*.** *T. Shinomura, H. Hanzawa, E. Schäfer and M. Furuya*

591 **Inhibition of plant viral systemic infection by non-toxic concentrations of cadmium.** *S. Ghoshroy, K. Freedman, R. Lartey and V. Citovsky*

603 **Plasma membrane depolarization-activated calcium channels, stimulated by microtubule-depolymerizing drugs in wild-type *Arabidopsis thaliana* protoplasts, display constitutively large activities and a longer half-life in *ton* 2 mutant cells affected in the organization of cortical microtubules.** *L. Thion, C. Mazars, P. Nacry, D. Bouchez, M. Moreau, R. Ranjeva and P. Thuleau*

611 **Condensing enzymes from *Cuphea wrightii* associated with medium chain fatty acid biosynthesis.** *M.B . Slabaugh, J.M. Leonard and S.J. Knapp*

621 **A *Cuphea* β-ketoacyl-ACP synthase shifts the synthesis of fatty acids towards shorter chains in *Arabidopsis* seeds expressing *Cuphea* FatB thioesterases.** *J.M. Leonard, S.J. Knapp and M.B. Slabaugh*

629 **Barley BLZ1: a bZIP transcriptional activator that interacts with endosperm-specific gene promoters.** *J. Vicente-Carbajosa, L. Oñate, P. Lara, I. Diaz and P. Carbonero*

641 **The role of UDP-glucose epimerase in carbohydrate metabolism of *Arabidopsis*.** *P. Dörmann and C. Benning*

653 **Low temperature signal transduction during cold acclimation: protein phosphatase 2A as an early target for cold-inactivation.** *A.F. Monroy, V. Sangwan and R.S. Dhindsa*

661 **The 14–3–3 proteins associate with the plant plasma membrane H^+-ATPase to generate a fusicoccin binding complex and a fusicoccin responsive system.** *L. Baunsgaard, A.T. Fuglsang, T. Jahn, H.A.A.J. Korthout, A.H. de Boer and M.G. Palmgren*

673 **Trehalose-6-phosphate phosphatases from *Arabidopsis thaliana*: identification by functional complementation of the yeast *tps2* mutant.** *G. Vogel, R.A. Aeschbacher, J. Müller, T. Boller and A. Wiemken*

685 SHORT COMMUNICATION
Isolation and molecular characterization of the *Arabidopsis TPS1* gene, encoding trehalose-6-phosphate synthase. *M.A. Blázquez, E. Santos, C.-L. Flores, J.M. Martínez-Zapater, J. Salinas and C. Gancedo*

691 SHORT COMMUNICATION
Phosphorylation mediates the nuclear targeting of the maize Rab17 protein. *A.B. Jensen, A. Goday, M. Figueras, A.C. Jessop and M. Pagès*

699 SHORT COMMUNICATION
Gypsy-like retrotransposons are widespread in the plant kingdom. *A. Suoniemi, J. Tanskanen and A.H. Schulman*

707 TECHNICAL ADVANCE
Gene identification with sequenced T-DNA tags generated by transformation of *Arabidopsis* cell suspension. *J. Mathur, L. Szabados, S. Schaefer, B. Grunenberg, A. Lossow, E. Jonas-Straube, J. Schell, C. Koncz and Z. Koncz-Kálmán*

717 TECHNICAL ADVANCE
A general method for gene isolation in tagging approaches: amplification of insertion mutagenised sites (AIMS). *M. Frey, C. Stettner and A. Gierl*

723 TECHNICAL ADVANCE
A protocol for transformation and regeneration of *Antirrhinum majus*. *I. Heidmann, N. Efremova, H. Saedler and Z. Schwarz-Sommer*

Number 6 March 1998

729 **Ectopic expression of a novel *MYB* gene modifies the architecture of the *Arabidopsis* inflorescence.** *V. Kirik, K. Kölle, T. Wohlfarth, S. Miséra and H. Bäumlein*

743 **Characterization of acyl-ACP thioesterases of mangosteen (*Garcinia mangostana*) seed and high levels of stearate production in transgenic canola.** *D.J. Hawkins and J.C. Kridl*

753 **Evidence that the *rug3* locus of pea (*Pisum sativum* L.) encodes plastidial phosphoglucomutase confirms that the imported substrate for starch synthesis in pea amyloplasts is glucose-6-phosphate.** *C.J. Harrison, C.L. Hedley and T.L. Wang*

763 **Different roles for calcium and calmodulin in phytochrome- and UV-regulated expression of chalcone synthase.** *H. Frohnmeyer, C. Bowler, J.-K. Zhu, H. Yamagata, E. Schäfer and N.-H. Chua*

773 **An ABC-transporter of *Arabidopsis thaliana* has both glutathione-conjugate and chlorophyll catabolite transport activity.** *R. Tommasini, E. Vogt, M. Fromenteau, S. Hörtensteiner, P. Matile, N. Amrhein and E. Martinoia*

781 **Developmental expression and biochemical analysis of the *Arabidopsis atao1* gene encoding an H_2O_2-generating diamine oxidase.** *S.G. Møller and M.J. McPherson*

793 **Molecular cloning and functional heterologous expression of two alleles encoding (S)-*N*-methylcoclaurine 3′-hydroxylase (CYP80B1), a new methyl jasmonate-inducible cytochrome P-450-dependent mono-oxygenase of benzylisoquinoline alkaloid biosynthesis.** *H.H. Pauli and T.M. Kutchan*

803 **Early stages of the apoptotic pathway in plant cells are reversible.** *I.E.W. O'Brien, B.C. Baguley, B.G. Murray, B.A.M. Morris and I.B. Ferguson*

815 SHORT COMMUNICATION
Two isoforms of plant RAD23 complement a UV-sensitive *rad23* mutant in yeast. *A. Sturm and S. Lienhard*

823 SHORT COMMUNICATION
Plant homologue of human excision repair gene *ERCC1* points to conservation of DNA repair mechanisms. *H. Xu, I. Swoboda, P.L. Bhalla, A.M. Sijbers, C. Zhao, E.-K. Ong, J.H.J. Hoeijmakers and M.B. Singh*

831 SHORT COMMUNICATION
Identification of *cat* sequences required for intron-dependent gene expression in maize cells. *N. Rethmeier, E. Kramer, M. van Montagu and M. Cornelissen*

837 TECHNICAL ADVANCE
Fluorescence *in situ* hybridization on extended DNA fibres as a tool to analyse complex T-DNA loci in potato. *A.-M.A. Wolters, L.M. Trindale, E. Jacobsen and R.G.F. Visser*

849 TECHNICAL ADVANCE
BAC representation of two low-copy regions of the genome of *Arabidopsis thaliana*. *E. Bent, S. Johnson and I. Bancroft*

857 TECHNICAL ADVANCE
Functional expression and characterization of a plant K^+ channel gene in a plant cell model. *Q. Bei and S. Luan*

867 TECHNICAL ADVANCE
Cytogenetics for the model system *Arabidopsis thaliana*. *P. Fransz, S. Armstrong, C. Alonso-Blanco, T.C. Fischer, R.A. Torres-Ruiz and G. Jones*

877 **Thank you**

881 **Author Index**

885 **Subject Index**